under Act VII of 1901, to collect debts payable in respect of the estate of Patel Jadiyappa deceased, resident of Anajee, Davangere Taluk.

Notice is hereby given of the said application and all claimants in the estate of the said Patel Jadiyappa, deceased, are invited to appear in this Court on Friday the 1st day of March 1940, when the petition of the said Patel Channabasappa of Anajee, applicant, will be heard, and the right to the certificate will be determined.

Given under my hand and the seal of the Court this 27th day of January 1940.

K. R. THIMMARAYA SETTY,
Munsiff.

13 THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 2nd February 1940, published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts ..	20,00,000	By Cash in Hand and at Bankers ..	15,83,991
„ Reserve Fund ..	26,50,000	„ Loans and Cash Credit Accounts	1,92,44,876
„ Public and other Deposits	2 82 01,139	„ Bills discounted and purchased ..	13,89,456
„ Sundries ..	3,77,215	„ Investments	98,55,037
		„ Balance at Agencies ..	...
		„ Dead Stock	10,52,372
		„ Sundries ..	97,652
Total Rs.	3,32,28,354	Rs.	3,32,28,384

(Annas and pies omitted.)

BANGALORE,
Dated 6th February 1940.

F. L. PERADON,
Manager.

I intend moving the High Court of Mysore, to enrol me as an Advocate thereof.

P. KRISHNAPPA.

14

"I, G. M. Nataraj, B.A., B.L., intend moving the Hon'ble the High Court of Mysore to enrol me as an Advocate thereof."

G. M. NATARAJ.

I, the undersigned, C. Sidda, son of Mada, student of the 2nd year V.T.C. Class of the Government Training College, Mysore, have changed my name from Sidda to Siddiah.

C. SIDDAIYA,
V. T. C. II.

15
13*th January* 1940.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 26463-84, *dated 3rd February* 1940.

To

The Firms dealing in Pumping Sets.

Enquiry No. 3876.

PUMPING SETS FOR WATER SUPPLY TO THE FORT AREA AT ARKALGUD.

GENTLEMEN,

In continuation of this office circular No. S. P. C. 24171-92, dated 16th January 1940, forwarding a copy of the above enquiry, I write to state that as the pumping sets are urgently required, the enquiry will close on the 29th of February 1940 instead of on the 17th March 1940, as previously notified.

No. S. P. C. 26073-86, *dated 2nd February* 1940.

To

The Firms dealing in Medicines and Drugs.

Enquiry No. 3897.

MEDICINES AND DRUGS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Medicines and Drugs " with the above enquiry Number.

This enquiry will be closed on the 24th February 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
1	Amyl Nitra Capsules	500 Nos.		
2	Potas Tartars Acidas in 1 lb. packets	400 lbs.		
3	Pituary ampoules in boxes of 6 amps. each	200 boxes		
4	Diuritin in 1 oz. phials	24 lbs.		
	Do in 2 ozs. ,,	26 ,,		
5	Salol, in 1 lb. packets	15 ,,		
6	Phennacetin in 1 lb. bottles	25 ,,		
7	Menthol in 1 oz. phials	5 ,,		
8	Liquid Paraffin in 50 lb. tins	100 ,,		
9	Soda Sulphas in 1 lb. bottle	300 ,,		
10	Soda Tartarata do	300 ,,		

No. S. P. C. 26087-26103, *dated 2nd February* 1940.

To

The Firms dealing in Hospital Appliances.

Enquiry No. 3898.

HOSPITAL APPLIANCES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Hospital Appliances " with the above enquiry Number.

This enquiry will be closed on the 24th February 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Glass Slides Microscope	50 gross	Bangalore City.	
2	Test Tubes Glass, 6″×¾″	10 ,,		
3	Measure Glass 2 oz.	2 ,,		
4	Chip Boxes	5 ,,		
5	Scales, Pillar Glass Pans	50 Nos.		
6	Scales, Ounces Boxes	50 ,,		
7	Feeding Cups	50 ,,		
8	Tube, Alimentary with Gag and Funnel	12 ,,		

No. S. P. C. 26054-72, dated 1st February 1940.

To

The Firms dealing in Hospital Lint.

Enquiry No. 3899.

LINT.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the lis of approved firms.

The quotations should be superscribed "Quotations for Lint" with the above enquiry Number. This enquiry will be closed on the 15th of February 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Lint, Fine, Hospital, I Class quality in 1 lb. rolls	5,000 lbs.	Bangalore City.	
2	Tow, Fine, Hospital, in 1 lb. packets	1,000 ,,		

N.B.—Samples should accompany your quotation.

No. S. P. C. 26044-53, dated 31st January 1940.

To

The Firms dealing in Hardware Materials.

Enquiry No. 3900.

G. I. SHEETS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for G. I. Sheets" with the above enquiry Number.

This enquiry will be closed on the 12th February 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	G. I. plain sheets of 1/16″ thick, size 6′×3′ ..	315 sheets	*Bangalore.*	

No. S. P. C. 26027-43, *dated 1st February* 1940.

To

The Firms dealing in Electrical Goods.

Enquiry No. 3901.

HOT POINT AUTOMATIC WATER HEATERS FOR THE NEW HOTEL BUILDING AT KRISHNARAJASAGAR.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hot Point automatic water heaters for the New Hotel Building at Krishnarajasagar" with the above enquiry Number.

This enquiry will be closed on the 20th February 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Low pressure, combined discharge and over flow water heater 140 gallons capacity to work on Alternating current, single phase, 250-volts, 25 cycles with a rated consumption of about 7,200 watts	Two	Belagola Railway Station.	
	The water heater should be made with tinned copper tank and provided with a thermal insulation casing. The water heater is to be provided with an accurate, sensitive, dependable thermostat mercury type switch to maintain the water at exactly the desired temperature at all times with a dial on the thermostat for setting it to any temperature between 120° to 200° F. The inlet and discharge valves are to be supplied with the water heater along with connecting pipes and fittings.			
	Or			
	Alternatively water heaters nearer to above specifications with illustrated catalogue and literature for selection			

No. S. P. C. 26016-26, *dated* 1st *February* 1940.

To

The Firms dealing in Girders.

Enquiry No. 3902.

GIRDERS FOR CENTRAL COLLEGE BUILDINGS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Girders for Central College Buildings" with the above enquiry Number.

This enquiry will be closed on the 12th February 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
1	Steel Girders of the following Sections :—			
	(*a*) $7\frac{1}{2}'' \times 24''$ at 90 lbs. in $33\frac{1}{2}$ R.ft., lengths	8		
	(*b*) $6\frac{1}{2}'' \times 20''$ at 75 lbs. in $27\frac{1}{2}$ R.ft., lengths	4		
	(*c*) $6'' \times 16''$ at 50 lbs. in $22\frac{1}{2}$ R.ft., lengths	4		

No. S. P. C. 26241-70, *dated* 1st *February* 1940.

To

The Firms dealing in Pumping Sets.

Enquiry No. 3903.

PUMPING SET REQUIRED FOR WATER SUPPLY TO THE JAIL AT SHIMOGA.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for one pumping set of the description given below :—

One direct coupled shallow well pumping set consisting of one pump with a capacity of 30 gallons per minute against a delivery head of 85 feet from all causes, with suitable electric motor mounted on a common cast iron bed plate, with all the necessary adjuncts including :—

(1) Glenfield and Kennedy's C.I. foot valve 1.
(2) Non-Return delivery valve 1.
(3) Glenfiled and Kennedy's double flanged sluice valve 1.
(4) Pressure guage.
(5) Ammeter.

N.B.—(1) The size of valve, etc., to be suitable to the suction and delivery connections.
(2) The power supply at the site is of the 220 volt, 3 phase, 25 cycles alternating current system.
(3) Separate quotations may also be given for automatic pumps with pressure tanks.
(4) The quotations should be, for, delivery f.o.r., Shimoga.
(5) Quotations for delivery of the pumping set immediately from Indian stock will be preferred.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pumping set for water-supply to the Jail at Shimoga" with the above enquiry Number.

This enquiry will be closed on the 16th February 1940.

No. S. P. C. 26212-40, dated 2nd February 1940.

To

The Firms dealing in paints.

Enquiry No. 3904.

PAINTS FOR TREE MARKING.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Paints for Tree Marking" with the above enquiry Number.

This enquiry will be closed on the 17th February 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R. Bangalore
1	Red paint ready mixed in kegs of 28 lbs.	70 kegs.	
2	Green paint, ready mixed in kegs of 14 lbs.	25 ,,	

N.B.—(1) Samples of paints offered should accompany your quotation.

(2) The paints offered should be proof against weather conditions and sap of trees.

No. S. P. C. 26187-211, dated 1st February 1940.

To

The Firms dealing in Pumping Sets.

Enquiry No. 3905.

ELECTRIFICATION OF THE PUMPING PLANT OF DAVANGERE WATER WORKS AT HARIHAR.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserves the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotations for Electrification of the Pumping Plant of Davangere Water Works at Harihar", with the above enquiry Number.

This enquiry will be closed on the 11th of March 1940.

Schedule.

Item No.	Description of the material	Quantity	Price quoted F. O. R., Harihar
1	*Direct coupled Pumping Set* capable of discharging 500 gallons of water per minute against a total head of 500′ conforming to the specification attached	One set	
2	Direct coupled pumping set capable of discharging 600 gallons of water per minute against a total head of 70′ from all causes and conforming to the specification attached ..	One set	
3	Electric motor capable of producing 7½ H.P. when running at 720 r.p.m. and provided with necessary extension shaft to take a driving pulley 6″ wide at one end in order to run the agitator shaft	Two	

Specification for the direct coupled pumping units for Davangere Water Works, Harihar.

Item I.—One unit consisting of a centrifugal pump capable of discharging 500 gallons per minute against a total head of 500′ directly driven by an electric motor of suitable capacity.

The pump should be a centrifugal pump having a capacity of pumping 500 gallons of filtered water per minute against a total head of 500′ from all causes, the suction lift being limited to 15′.

The pump casing should be made of close grained C.I. and it should be preferably split horizontally with faces accurately machined to make a water tight joint and the flanges held together by machine made bolts. The pump should be self balanced and hence it may be of double entry type.

Impeller.—The Impeller should be made of hard phosphor-bronze material; and all blanks, sleeves, etc., should be made of gun metal or other non-corrosive material. It should be fitted with ball-end thrust bearing to take up the residual if any.

Shaft.—The shaft shall be of high quality forged steel or stainless steel, if possible, and it should be carefully and accurately machined and ground. It should have sleeves made of gun-metal or other non-corrosive material at all the wearing points, so that the wear on the shaft may be kept at a minimum.

Bearing.—The bearings may be ball or roller bearings.

Glands.—The glands may be of split variety in the case of horizontally split casing type and shall be provided with a suitable water seal arrangement. They should have renewable sleeves on the shaft so that the shaft may not be damaged by frequent tightening of the packing.

Specification of motors required in connection with Water Supply to Davangere.

The motors covered by the following brief specifications shall be suitable for operating on 220 volts, 25 cycles, 3 phase system at present and later on, on 220 volts, 50 cycles, 3 phase system. The motors are required for working centrifugal pumps directly coupled and mounted on a common bed plate.

The terminals of the windings should be so brought out that the connection to be made for running the motors on the above two systems of supply can be easily effected.

The variations in the frequency and voltage of the power supply to the motors will be 2 per cent and 7½ per cent, respectively, and the motors shall operate satisfactorily under these variations.

General.—For approximately six months in the year, the out-door shade temperature is 40° C. with a humidity varying between 50 to 75 per cent. For the remaining portion of the year, the out-door shade temperature is 30° C. with a humidity varying brtween 70 and 100 per cent. During the hot weather, the sun's temperature in vacua is 75° C. The air is heavily laden with fine dust which it is desired to exclude from the windings.

The motors shall be semi-enclosed, with drip-proof casing to meet the above requirements and they shall be of the Induction type provided with squirrel cage motor.

Temperature rise.—The motors shall be designed for continuous operation with a temperagure rise of not more than 35° C. above an ambient temperature of 40° C.

Overload Capacity.—The motors shall be capable of withstanding 25 per cent overload for at least two hours without any undue rise in temperature that will injure the windings and the core.

Windings.—The windings shall be insulated with class 'A' insulation and shall be specially impregnated to withstand the tropical climatic conditions.

Item II.—One direct coupled unit consisting of a pump which can discharge 600 gallons a minute against a total head of 70′ from all causes. The pump and motor to have the same specifications as the above.

The unit must have vertical shaft so that the pump may be installed at a point 20 ft. below the motor. This unit is to be fixed inside a well and hence girders 15′ long have got to be provided in the tender for supporting the pump and motor independently. The girders will be fixed inside the masonry of the well so as to avoid vibration and necessary Gusset plate may be provided at the ends of the girders, if necessary.

Item III.—Two 7½ H.P. Electric Motors running on the above power supply at 720 R.P.M. and provided with necessary extension of shaft to take a driving pulley 6″ wide at one end in order to run the agitator shaft. If necessary, an end bearing also may be provided.

All the motors have to conform generally to the same specifications as the first and they should be provided with starters suitable for the respective size of motors while the bearing should be of the ball or roller type.

So far as the motors are concerned, quotations may be given for motors suitable for use on both 25 and 50 cycles systems as per specification given above and alternatively for motors that will be suitable only for use on 25 cycle, 220 volts, 3 phase system and conforming generally to the same specifications.

No. S. P. C. 26175-86, *dated 1st February* 1940.

To

The Firms dealing in Second Hand Rails.

Enquiry No. 3906.

SECOND HAND RAILS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Second Hand Rails " with the above enquiry Number.

This enquiry will be closed on the 20th February 1940.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Second Hand Steel Rails 41¼ lbs. section 24 ft. long in good condition	35	Krishna-rajanagar.	

Yours faithfully,
MIR SAFDAR HUSSAIN,
Secretary,
Stores Purchase Committee.